







At Borin, we turn company needs into reality, creating custom solutions that allow them to work peacefully.





Borin s.r.l. was established in 1987 by its current President, Fausto Borin, whose extensive technicalcommercial experience in the washing and sanitizing sector led to the creation of a company dedicated to enhancing and simplifying its customers' work.

Initially, the company was primarily involved in trading cleaning machinery. Subsequently, with the involvement of Fausto Borin's sons, it transitioned into the design and production of cutting-edge systems within the industrial hygiene field. Between 2017 and 2020, the group invested in studying and researching new technologies, leading to the establishment of new companies -Borin Solutions, Borin Line, B-Tech, and B.S.S. This marked the comprehensive expansion of the Group's presence into the food, cosmetic, and pharmaceutical industries. Today, Borin stands as a recognized national market leader.

The Group, as it exists today, is the outcome of a collaborative family effort and the integration of four specialized companies, all dedicated to delivering a 360° service to its valued customers.



COMMERCIAL

Providing companies across the country with top-tier solutions for cleaning and sanitizing environments, individuals, and equipment, along with a comprehensive design service for departmental technical furnishings.



PRODUCTION 🏼

Engaged in the technological research, design, and construction of industrial hygiene plants, machinery, and equipment. It responds to the demands of the international market.




SERVICES

Specializing in the installation and maintenance of systems offered by the Borin Group.



SERVICES

Offering and managing long-term rentals of plants, machinery, and equipment for the cleaning and sanitization of companies.



The Borin Group's unwavering passion, anchored in the principles of integrity, honesty, and transparency, translates into comprehensive customer support. We guide our customers through a thorough problem analysis and craft the most fitting solutions for them.

This is the essence of our motto: "Work peacefully, we'll handle the rest."



FILTER AREAS

Sanitizing stations	4
Accessories for sanitizing stations	12
Access control	13
Carpets	14
Dispenser and bins	18
Color coded equipement	23

WASHING SYSTEMS

Multi-pressure systems	
Back pipe line and dropping lines	30
Mobile washing stations	32
Washing stations on column	34
Conveyor belt washing devices	
Accessories for washing systems	40

PREMISES FURNISHING

Sinks and washbasins	46

Customers Portfolio	53
---------------------	----





1— Filter areas





Maximum hygiene safety for operators.

Complete sanitizing station equipped for washing, drying, and sanitizing hands, in addition to brushing, washing, and sanitizing operators' footwear. The electromechanical turnstile enforces the correct procedure.



EXTREME MEDIUM

Washing/brushing of soles - Soaping, washing, air drying (Dyson technology) and sanitization of hands – Turnstile I 1.500 - w 800 - h 1.650 mm - 380 V



EXTREME MEDIUM WITH PAPER

Washing/brushing of soles - Soaping, washing, drying with paper and sanitization of hands - Turnstile I 1.860 - w 800 - h 1.880 mm - 380 V



KOBRA MEDIUM

Washing/brushing of soles - Sanitization of hands - Turnstile $\rm I\,1.500$ - w 800 - h 1.650 mm - 380 V



BASE MEDIUM

Washing/brushing of soles I 1500 - w 800 - h 1.130 mm - 380 V





Complete sanitizing system for operators.

Sanitizing station equipped for washing hands, in addition to brushing, washing and sanitizing operators' footwear. The electromechanical turnstile enforces the correct procedure.

CUBANA MAXI

Sanitization of soles with silver ion carpet - Soaping, washing, drying, sanitization of hands - Turnstile $1\,1.660$ - w 700 - h 1.415 mm - 220 V



CUBANA PRO MAXI

Sanitization of soles with silver ion carpet - Soaping, washing, drying, sanitization of hands - Turnstile $\!$ I 1.660 - w 800 - h 1.420 mm - 220 V



CUBANA PRO MEDIUM

Sanitization of soles with silver ion carpet - Soaping/Sanitization of hands - Turnstile 11.250 - w 900 - h 1.465 mm - 220 V



CUBANA - WALL UNIT Soaping/Sanitization of hands

l 880 - w 790 - h 1.460 mm - 220 V

CUBANA MEDIUM

Soaping/Sanitization of hands - Turnstile I 1.070 - w 780 - h 1.460 mm - 220 V





ECOLOGICAL POINT KIT

Washing/brushing of shoes/boots – stainless steel base with soaping, washing, drying with paper, bin for paper and hand sanitization & stainless - steel mirror

l 950 - w 570 - h 1.940 mm - 380 V



BULL MINI - ECO

Washing/brushing of shoes I 650 - w 500 - h 1.250 mm - 380 V

BULL MINI

Washing with double direction of brushing for soles and toe caps - Stainless steel tank with level sensor I 650 - w 500 - h 1.160 mm - 380 V





BULL MEDIUM

Washing/brushing of boots I 760 - w 780 - h 1.150 mm - 380 V BULL MAXI Washing/brushing of shoes in line I 1.950 - w 850 - h 1.230 mm - 380 V





NETTUNO Washing/brushing of aprons and gloves I 1.550 - w 580 - h 1.090 mm - 380 V



SHELVES

Shelves to anchor railing with diameter 33,7/42,4 mm





MAINTENANCE TROLLEY FOR BRUSHES

Stainless steel trolley for maintenance/replacement of sanitizing stations brushes I 1500 - w 600 - h 1.624 mm



ACCESS CONTROL - TURNSTILE

Mechanical or electronic turnstile with floor stand l 780 - w 800 - h 1.070 mm


ONE-WAY FLOW SWING GATES Certified gates with manual opening for escape routes





Supports in colour code:

MODULAR BARRIERS Tailored Stainless Steel barriers and railings







Designed to be effective and easy to clean. Wave hello to a clean start.

The wave arrangement of the bristles ensures an efficient cleaning of soles and wheels, directing the dirt into the special collection slots. Its modular structure and convenient extraction keys make the Wave carpet very easy to dismantle and clean.



99,94% EFFECTIVE Reduction of bacterial loads.

WAVE CARPET

Sanitizing carpet for brushing and sanitizing soles and small or large wheels.

VERSIONS

Wet recessed for

pedestrian or trolley use






Dry recessed for pedestrian

or trolley use



On surface with ramp, dry for trolley use



On surface with ramp, dry for pedestrian use

MODULES ARRANGEMENT





with trolley

pedestrian use

EXTRACTION KEYS





TANK in AISI 304L stainless steel **MODULES** in blue POM C BRISTLES in blue Nylon - Ø 0.5 mm

WAVE MODULES TROLLEY

Maintenance/replacement of Wave modules for ordinary cleaning l 1.154 - w 540 - h 1.657 mm







Highly effective bactericidal combo.

Decontaminant carpet designed for dry environments, equipped with silver ions and Biomaster coating. It possesses antistatic properties, offers a non-slip surface, and is easy to clean. The stainless steel plate on which the Silver carpet is mounted can be placed on the ground for pedestrian use or securely fixed to the floor using screws if it is intended for use with a trolley.



99,9% EFFECTIVE Reduction of bacterial loads.

Tested against E.Coli, Salmonella and MRSA.

SILVER PEDESTRIAN

With or without stainless steel plate. Silver ion carpet for dry environments on possible 304L stainless steel sheet support. Decontaminating, cleanable, antistatic coating.



SANIMAN

l 500 - w 375 - h 1.510 mm

Hand sanitizing dispenser with elbow activation

All products are also available in versions with photocell dispensers

TOTALSAN

Hand sanitizing dispenser with elbow activation - sole sanitization with Silver ion carpet I 1.000 - w 800 - h 1.510 mm





Elegance and practicality in disposable clothing: introducing design dispensers.

BORIN / HYGIENIC DESIGN TECHNOLOGY /

SINCE 1987

Blending style and functionality: crafted from 2 mm thick stainless steel with an anti-cut finish – the perfect combination.





POLY

l 213 - w 205 - h 577,7 mm - Capacity 13 L

- Caps
- Headphones
- Shoe-covers
- Oversleeves
- Beard Covers



PLEXY l 296,5 - w 337,3 - h 497,6 mm - Capacity 28 L



MASKS

Maximum box size: I 104 - w 83 - h 205 mm

l 228,5 - w 93,4 - h 505,9 mm l 126,5 - w 93,4 - h 285,6 mm

GOWNS l 296,5 - w 337,3 - h 497,6 mm - Capacity 28 L








GLOVES Maximum box size: | 126 - p 68 - h 218 mm

l 243 - w 76,7 - h 594,2 mm

l 150,5 - w 77,7 - h 513,8 mm





l 129,5 - w 78 - h 251,5 mm





PAPER

Paper roll

Horizontal I 323,3 - w 283,9 - h 384,6 mm



Vertical with pre-cutting I 243,5 - w 229,3 - h 344,4 mm





PAPER BINS Stainless steel - wall-mounted

l 363 - w 318,7 - h 712 mm - 58 L

l 363 - w 318,7 - h 472 mm - 36 L

SELF-SUPPORTING COLUMN

Customized, for disposable clothing and bin

l 265 - w 266,5 - h 455,3 mm - 20 L







APRONS

Wall mounted apron rack with 5 hooks I 490 - w 80 - h 97,3 mm




For tear-off aprons I 150 - w 107 - h 82,7 mm



SIGNS FOR CLOTHING Customizable with company clothing and logo




STAINLESS STEEL MIRRORS
Customizable





For 3 tools - I 540 - w 126 - h 200 mm





JERRY CAN HOLDER - 25 L Lockable I 342,3 - w 289,8 - h 589,6 mm



JERRY CAN HOLDER - 5/10 L Lockable I 266,8 - w 222,3 - h 425,4 mm



Cleaning board: the ideal solution for separating instruments between different Departments.

The cleaning board serves as the perfect solution for segregating instruments across various departments. These panels, known as Cleaning Boards, collect tools and accessories essential for cleaning and sanitizing different environments. They are color-coded based on the type of environment, effectively preventing cross-contamination.







2 — Washing systems





Pressurization groups for washing systems.

Multiflow Maxi is tailored for large-scale users, distinguished by its Brushless engine with inverter control. Users have the flexibility to adjust water pressure and temperature for routine departmental cleaning, offering complete control over these settings.



MULTIFLOW MAXI

170 l/min - From 30 to 100 bars - From 1 to 10 operators at the same time - Brushless engine l 800 - w 1.200 - h 1.750 mm



MULTIFLOW MEDIUM

75 l/min - From 30 to 100 bars - From 1 to 4 operators at the same time - Brushless engine l 590 - w 1.000 - h 1.250 mm



MULTIFLOW MINI

48 l/min. - From 30 to 100 bars - From 1 to 2 operators at the same time - 2 asynchronous engines I 700 - w 800 - h 1.750 mm



MULTIFLOW ECO

52 l/min. - From 30 to 100 bars - From 1 to 2 operators at the same time - 2 asynchronous engines I 780 - w 410 - h 1.210 mm




SINGLE PUMP

• 21 I/min. - From 30 to 100 bars - 1 operator - asynchronous engine I 595 - w 365 - h 305 mm






Back pipe line and dropping lines



BACKPIPES AND DROPPING LINES







Wall washing station

Washing station on column

Mobile washing station



Dropping line for washing station on column

Back pipe line

We manufacture high pressure water pipes, network pressure pipes and pipes for compressed air.

Dropping line

Constructed from either AISI 304L or AISI 316 stainless steel, these components guarantee the uniform distribution of water flow and pressure throughout the plant's internal and external departments.

The **BACK PIPE LINE** can be installed in plain view or concealed within a false ceiling, if one is present.

The **DROPPING LINE** supplies the washing stations in different departments. The flow rate and pressure are contingent on the chosen system type.

These pipes come fully equipped with fittings, collars, vibrationresistant pipelines, brackets, and bolts. The pipe can accommodate multiple independent dropping lines, the quantity dependent on the connected system's water flow rate.





Hygiene on the move. Mobile stations optimize efficiency.

Intentionally designed to maintain Production Departments free from permanent washing devices, this solution is outfitted with a certified and calibrated foam injector, rinse tank, hose reel, multi-pressure lances, and guns.

For instances where a centralized washing system is unavailable, it is also offered with a single pump onboard.



KITECO MOTOR Hose reel with crank and motor-pump 21 l/min - Multipressure

l 760 - w 850 - h 1.360 mm



KITECO MOTOR Hose hanger and motor-pump 21 l/min - Multipressure I 760 - w 850 - h 1.103 mm



KITECO Hose reel with crank Multipressure I 760 - w 850 - h 1.360 mm

KITECO Hose hanger Multipressure I 760 - w 850 - h 1.103 mm







The maximum comfort is achieved by placing accessories within reach.

Our stainless steel column washing stations are completely equipped with certified calibration foam injector, rinse tank, hose reels for high and low pressure and for compressed air,tank-holder dispenser with lock, multi-pressure lances and guns.

They are also available with a motor-pump on board where there is not centralized washing system.

C.L.

TRIPLEX MOTOR COLUMN

Network pressure - compressed air - high pressure with motor-pump system - dosing kit I 1.730 - w 720 - h 3.000 mm



TRIPLEX MOTOR COLUMN

Network pressure - compressed air - high pressure with motor-pump system I 1.730 - w 720 - h 3.000 mm



DUPLEX MOTOR COLUMN

Network pressure - high pressure with motor-pump system I 1.730 - w 720 - h 3.000 mm



SINGLE MOTOR COLUMN

High pressure with motor-pump system I 1.730 - w 720 - h 3.000 mm



TRIPLEX COLUMN

Network pressure - high pressure - compressed air I 1.730 - w 720 - h 3.000 mm



SINGLE COLUMN High pressure I 800 - w 720 - h 3.000 mm



DUPLEX COLUMN

Network pressure - high pressure I 1.730 - w 720 - h 3.000 mm



SINGLE COLUMN Network pressure I 800 - w 700 - h 3.000 mm





CLEANJET

Guaranteed effectiveness and savings.

The sanitization of conveyor belts is a crucial aspect of food safety and industrial cleaning. We provide an effective solution for automating foaming and washing, ensuring uniform cleaning of the surfaces, and ensuring significant time and cost savings. These systems are also mobile and easily adjustable, making them suitable for various types of conveyor belts.



FRONT BELT WASHING DEVICE

Foaming function and top belt washing Washing surface 900 mm I 1.175 - w 963 - h 1373 mm



Positioning





SIDE BELT WASHING DEVICE

Foaming function and top and bottom belt washing Washing surface 1.000 mm I 1.830 - w 740 - h 1600 mm





Positioning




Highly engineered foaming injector.

Constructed entirely from AISI 316L stainless steel, including a PEEK bypass for rinsing, our systems are available in two configurations: with compressed air (air) and without compressed air (no air).

These systems are designed to handle alkaline, acidic, chlorinated, and peroxide detergents and disinfectants without incurring internal corrosion, ensuring long-lasting durability. They are built to maintain the desired calibration settings over time.

The product percentage can be adjusted to ensure compliance with BRC and IFS certifications, with certified calibration adjustments ranging from 1% to 5%.



INJECTOR - 1 PRODUCT

With/without compressed air



INJECTOR - 2 PRODUCTS WITH SWITCH With/without compressed air

INJECTOR - 2 PRODUCTS AT THE SAME TIME With/without compressed air





Available in different color codes



LONG POWER For long-distance washing



FOAM LANCE With/without compressed air



HOSE REEL For water and compressed air

HOSE HANGER

PIPE DRAIN PROBE

For foaming and washing pipes and drains



FILTERS 3/7 CARTRIDGES

For the purification of water supplied to washing systems - 40 inches



FILTERS 1 CARTRIDGE For the purification of water supplied to washing systems - 40 inches




HOODED LANCE FOR SURFACES For washing tables and conveyor belts

HOODED LANCE FOR FLOORS

For washing floors, ducts and wells



Hooded structures to avoid splashes and limit nebulization





3– Premises furnishing







Design and versatility in a single configurable sink.

Fully welded and engineered with folds, featuring splash protection to contain bacterial loads. Additionally, it comes with a removable front panel for straightforward installation and maintenance, and a spacious back for attaching accessories like taps, soap dispensers, and towels.

The definitive solution for a hygienic and practical sink.



SINGLE I 600 - w 580 - h 1.274 mm



DOUBLE | 1.200 - w 580 - h 1.274 mm



TRIPLE I 1.800 - w 580 - h 1.274 mm

WATER DISPENSING SYSTEM



PUSH Button actuation mechanism by knee pressing



PHOTOCELL Actuation by photocell system



WASH AND DRY Actuation by photocell system and hand drying with Dyson system

GROUND INSTALLATION



LEGS AND FEET Recommended if the rear wall is not load-bearing h 229 mm

ACCESSORIES



DISPENSER Soap and sanitizing solution







HAND DRYER Dyson Airblade V

MED SINGLE

Floor mounted/wall mounted - I 600 - w 580 - h 1.274 mm

MED DOUBLE

Floor mounted/wall mounted - I 1.200 - w 580 - h 1.274 mm



MED TRIPLE Floor mounted/wall mounted - I 1.800 - w 580 - h 1.274 mm



Available with air dryer (Dyson technology) or paper towel dispenser



MED SINGLE Floor mounted/wall mounted - I 600 - w 580 - h 1.274 mm MED DOUBLE Floor mounted/wall mounted - I 1.200 - w 580 - h 1.274 mm





MED TRIPLE Floor mounted/wall mounted - I 1.800 - w 580 - h 1.274 mm



Water dispensing by knee button.

MED SINGLE PUSH

Floor mounted/wall mounted - I 600 - w 580 - h 1.274 mm

MED DOUBLE PUSH Floor mounted/wall mounted - I 1.200 - w 580 - h 1.274 mm





MED TRIPLE PUSH

Floor mounted/wall mounted - I 1.800 - w 580 - h 1.274 mm





Available with air dryer (Dyson technology) or paper towel dispenser

SINGLE PUSH

Semicircular shape - I 480 - w 360 - h 520 mm Backsplash 40 mm DOUBLE PUSH I 1.040 - w 520 - h 220 mm Backsplash 200 mm





TRIPLE PUSH

l 1.440 - w 520 - h 280 mm Backsplash 200 mm









Follow us on Youtube



View our customer portfolio

Authorized distributor in Italy

Certifications







Borin Line S.r.l.

via Europa 39/41 -37058 Sanguinetto (VR) Italy Tel. +39 0442 1721200 info@borinline.it **borinline.it**





Borin continually researches and develops new products and reserves the right to make changes to this document without notice. All data and images present here are indicative. Specifications may vary in accordance with national regulations or due to the addition of optional accessories.

ST000.003.250124 © Borin 2024 - tutti i diritti riservati / all rights reserved